



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

TCELL - Tropical Sunrise

Revision 5 Revision date 2013-04-14

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	TCELL - Tropical Sunrise
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;
Description	TCell - Perfumes, fragrances.
1.3. Details of the supplier of	the safety data sheet
Company	Rubbermaid Commercial Products LLC
Address	Newell Rubbermaid Europe Sàrl Chemin de Blandonnet 10 CH-1214 Vernier / Geneva / Switzerland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
Email	sds.CommercialProducts@newellco.com
Local Supplier	
Company	Newell Poland Services Sp. z o. o.
Address	2 UI. Wybickiego Manieczki Brodnica 63-112 Poland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
1.4. Emergency telephone n	umber
Emergency telephone number	+44 (0)8705 686 824
Intended use	Monday till Friday (08:30 - 17:00)
Intended use	
Fronth on Information	Fragrancing module designed for use in proprietary automated system.
Further information	
Informing Department	Technical Services Department.
SECTION 2: Hazards ide	ntification
2.1. Classification of the sub	stance or mixture
2.1.1. Classification - 1999/45/EC	Xi; R43 N; R51/53 Symbols: Xi: Irritant. N: Dangerous for the environment.



May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term

Main hazards

Revision 5 Revision date 2013-04-14

2.1. Classification of the substance or mixture

adverse effects in the aquatic environment.

2.2. Label elements

Symbols

The product is classified in accordance with 67/548/EEC.

Xi: Irritant. N: Dangerous for the environment.





Risk phrases

Contains: Limonene.

R43 - May cause sensitisation by skin contact.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Safety phrases

S2 - Keep out of the reach of children.

S24 - Avoid contact with skin.

S29 - Do not empty into drains.

S37 - Wear suitable gloves.

Precautionary Phrases

P10 - Contains delta-damascone. May produce an allergic reaction.

Further information

Classification system

For mixtures, classification is in compliance with Regulation (EC) 1999/45. The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Hexyl Acetate		142-92-7	205-572-7		10 - 20%	N; R51/53
2,6-dimethylheptan-2-ol		13254-34-7	236-244-1		1 - 10%	Xi; R36/38
2-Tertiary-butylcyclohexyl acetate		88-41-5	201-828-7		1 - 10%	N; R51/53
L-Limonene	601-029-00-7	5989-54-8	227-815-6		1 - 10%	R10 Xi; R38 R43 N; R50/53
Allyl Caproate		123-68-2	204-642-4		1 - 10%	Xn; R21/22 Xi; R38 N; R51/53
Isoamyl butyrate		106-27-4	203-380-8		1 - 10%	R52/53
Linalool		78-70-6	201-134-4		1 - 10%	Xi; R38
Isoamyl allylglycolate		67634-00-8	266-803-5		1 - 10%	Xn; R22 Xi; R38
Gamma-Undecalactone		104-67-6	203-225-4		1 - 10%	N; R51/53
Delta-damascone		57378-68-4	260-709-8		< 1%	Xi; R43 N; R50/53

Further information

Regulation (EU) 453/2010 - Substances in compliance with Regulation (EC) 1272/2008.

Hexyl acetate - Flam. Liq. 3: H226; Aquatic Chronic 2: H411; GHS02; GHS09;.

2,6-Dimethyl-2-heptanol - Skin Irrit. 2: H315; Eye Irrit. 2: H319; GHS07;.

2-tertiary-Butylcyclohexyl acetate - Aquatic Chronic 2: H411; GHS09;.

L-Limonene - Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410; GHS07; GHS02; GHS09;.

Allyl caproate - Acute Tox. 3: H301; Acute Tox. 3: H311; Skin Irrit. 2: H315; Eye Irrit. 2: H319;

Aquatic Chronic 2: H411; GHS06; GHS09;.

Isoamyl butyrate - Flam. Liq. 3: H226; Aquatic Chronic 3: H412; GHS02;.



Revision 5
Revision date 2013-04-14

	Revision date 2013-04-1
Further information	
	Linalool - Skin Irrit. 2: H315; Eye Dam. 2: H319; GHS07;. Isoamyl allylglycolate - Acute Tox. 4: H302; Skin Irrit. 2: H315; GHS07;. gamma-Undecalactone - Aquatic Chronic 2: H411; EUH210; GHS09;. delta-Damascone - Skin sens. 1: H317; Skin irrit. 2: H315; Acute Tox. 4: H302; Aquatic chronic 1: H410; GHS07; GHS09;.
Additional Information:	Full text for all Risk Phrases mentioned in this section are displayed in Section 16.
Description	Mixture of natural and/or synthetic raw materials.
SECTION 4: First aid meas	ures
4.1. Description of first aid mea	asures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING.
4.2. Most important symptoms	and effects, both acute and delayed
Skin contact	May cause sensitisation by skin contact.
4.3. Indication of any immediat	te medical attention and special treatment needed
Skin contact	Seek medical attention if irritation or symptoms persist.
Further information	
	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
SECTION 5: Firefighting me	easures
5.1. Extinguishing media	
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Alcohol resistant foam. Do NOT use water jet.
5.2. Special hazards arising fro	om the substance or mixture
	Carbon oxides may be formed in fire conditions.
5.3. Advice for firefighters	
	Wear suitable protective clothing, gloves and eye/face protection.
SECTION 6: Accidental rele	ease measures
	tective equipment and emergency procedures
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.
6.2. Environmental precautions	
	Prevent further spillage if safe. Do not flush into surface water. Do not let product contaminate subsoil. Do not allow product to enter drains.
6.3. Methods and material for	•
	Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust). Transfer to suitable, labelled containers for disposal.
6.4. Reference to other section	· ·
	See section 8 + 13 for further information.
SECTION 7: Handling and	storage
7.1. Precautions for safe hand	
i de adono no odio nana	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best
	Avoid contact with eyes and skin. Libute adequate ventilation of the working area. Adopt best



Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Revision 5 Revision date 2013-04-14

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in a cool, dry area.

Store at temperatures below 30 °C.

Protect from heat and direct sunlight.

Do not open by force or throw into fire, even after use.

Do not pierce or burn, even after use

7.3. Specific end use(s)

Air care products.

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls



8.2.1. Appropriate

engineering controls

8.2.2. Individual protection

measures

Eye / face protection

Skin protection -

Handprotection

Respiratory protection

Occupational exposure

controls

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Adopt best Manual Handling considerations when handling, carrying and dispensing.

Avoid contact with eyes.

Avoid contact with skin. Wear suitable gloves.

Not required, but ensure adequate ventilation when using the product.

Wash hands during breaks and at the end of the work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State

Colour

Liquid Yellow

Odour

Characteristic

Flash point 65 °C

Relative density

0.915 - 0.935

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Will not decompose if stored and used as recommended.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Heat, sparks and open flames. Store at temperatures above 50 °C. Do NOT allow to freeze. Direct

10.6. Hazardous decomposition products

Carbon dioxide (CO2). Carbon oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Revision 5 Revision date 2013-04-14

	Nevision date 2013-04-
11.1. Information on toxicologi	cal effects
Acute toxicity	No data is available on this product.
Respiratory or skin sensitisation	Irritation may be possible. May cause sensitisation by skin contact.
SECTION 12: Ecological in	formation
I2.1. Toxicity	
·	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
I2.2. Persistence and degrada	
-	Readily biodegradable.
2.3. Bioaccumulative potentia	•
<u> </u>	Does not bioaccumulate.
2.4. Mobility in soil	
•	Evaporates readily.
I2.5. Results of PBT and vPvI	
	No data is available on this product.
2.6. Other adverse effects	The data is distincted on the product
	No data available.
Further information	TO GALL STURIDIO.
	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or
	sewage system.
SECTION 13: Disposal con	siderations
General information	
	Dispose of in compliance with all local and national regulations.
Disposal methods	
	Contact a licensed waste disposal company.
Disposal of packaging	
	Do NOT reuse empty containers. Do not empty into drains; dispose of this material and its
	container in a safe way.
SECTION 14: Transport inf	
SECTION 14: Transport inf	
SECTION 14: Transport inf Hazard pictograms	
Hazard pictograms	
Hazard pictograms	
Hazard pictograms	Formation UN3082
Hazard pictograms	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((CONTAINS LIMONENE &
Hazard pictograms 4.1. UN number 4.2. UN proper shipping nam	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((CONTAINS LIMONENE & HEXYL ACETATE))
Hazard pictograms 14.1. UN number 14.2. UN proper shipping nam 14.3. Transport hazard class(e	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((CONTAINS LIMONENE & HEXYL ACETATE))
Hazard pictograms 14.1. UN number 14.2. UN proper shipping nam 14.3. Transport hazard class(e	UN3082 BENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((CONTAINS LIMONENE & HEXYL ACETATE)) BESS
	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((CONTAINS LIMONENE & HEXYL ACETATE)) 9 9
Hazard pictograms 14.1. UN number 14.2. UN proper shipping nam 14.3. Transport hazard class(e	UN3082 BENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((CONTAINS LIMONENE & HEXYL ACETATE)) BOSO 9 -



Revision date 2013-04-14

	Revision date 2013-04-14
14.3. Transport hazard class(es	3)
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
ADR/RID	
Hazard ID	90
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-F
IATA	
Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction	964
(Passenger)	
Maximum quantity	450 L
Further information	
Remarks	ADR - Goods are classified as "Limited Quantities" and are therefore excempt from ADR
	regulations. Check local legislation for domestic transport.
Remarks	IMDG - Goods are classified as "Limited Quantities" and are therefore exempt from IMDG
	regulations. Check local regulation for domestic transport.
Remarks	"Limited Quantity".
SECTION 15: Regulatory in	formation
J	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Perfumes (fragrances) comply with the Standards of the International Fragrance Association (IFRA), amendments 46.

The labelling of this TCELL is to some extend different compared to the classification in the SDS. By way of derogations, mentioned in article 10 §4 and article 12 §3 point b & c, Regulation EC/1999/45 permits the packaging of dangerous preparations for volumes less than 125 ml to be unlabelled or labelled in some other way. This is applicable for preparations classified as harmful, extremely flammable, highly flammable, flammable, irritant, oxidising and/or dangerous to the environment, taking into account aspects like volume (48 mL) of the packaging, packaging of the preparation and application of the preparation when there is no reason to fear any danger to persons handling such preparations or to other persons and to fear any dangers to the environment.

Further information

COMMISSION REGULATION (EU) No. 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No.1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC,

Revision 5 Revision date 2013-04-14

Further information	Further	information
---------------------	----------------	-------------

93/67/EEC, 93/105/EC and 2000/21/EC.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 15 - Further information. 15 - 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.
Data sources	Exposure Limit Values. Raw Material Data Sheets.
Text of risk phrases in	R10 - Flammable
Section 3	R21/22 - Harmful in contact with skin and if swallowed.
	R22 - Harmful if swallowed.
	R36/38 - Irritating to eyes and skin.

R38 - Irritating to skin.

R43 - May cause sensitisation by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

General information

Additional information in compliance with Regulation (EC) 1272/2008.

H226 - Flammable liquid and vapour.

H301 - Toxic if swallowed.

H302 - Harmful if swallowed.

H311 - Toxic in contact with skin.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

H411 - Toxic to aquatic life with long lasting effects.

H412 - Harmful to aquatic life with long lasting effects.

EUH210 - Safety data sheet available on request.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

_