



COSHH Risk Assessment

JANGRO VINYL, TYRE & ENGINE DRESSING

Product Code: BG250-5



Danger

PROCESS STAGE	POTENTIAL RISK	CONTROL MEASURES	ACTION REQUIRED
DELIVERY			
Packaged in 5 litres polythene bottles with integral carry handle.	Risk of spillage if the container is dropped. Risk of injury to user if dropped. Risk of strain injuries if not handled correctly.	Take care not to drop bottles. Ensure that the cap is secured at all times.	Transfer bottles to store immediately following delivery. Do not leave bags in areas where users of the building will come into contact with them.
STORAGE			
Keep in cool, dry, ventilated storage and closed containers. Keep in original container. Store locked up.	Flammable. Minimal risk of spillage if caps are firmly in place. Caps are not child proof.	Restrict access to storage areas to authorised personnel. Keep the store well ventilated. Keep away from heat. Clear up spills immediately.	Use oldest stock first. Make regular checks to ensure that bags are not split or blown/damaged. Make regular checks to ensure that storage area is clean and dry.
USAGE			
Product is applied directly to surface according to manufacturer's instructions.	Risk of eye contact. Risk of skin contact. Risk of ingestion. Risk of inhalation. Risk of spillage onto floor and into drainage system.	Handle the bottles with care. Wear Personal Protective Equipment. Ensure that the bottle is returned to the store when not in use. Always read the manufacturer's instructions prior to use. Ensure that all spillages are cleaned up immediately using sand or earth and place into containers. Flush with plenty of water to clean spillage area.	Provide employees with PPE as follows: <ul style="list-style-type: none"> Protective gloves Provide adequate local and general exhaust ventilation. Ensure that operatives are aware of location of First Aid facilities and personnel.
DISPOSAL			
Dispose of in accordance with Local Authority requirements.	Small risk of skin or eye contact. Risk of contamination with other substances.	Wash out the container using plenty of water. Do not store any other material in the empty container. Ensure that the product is exhausted before disposal. Ensure that the product is not disposed of via a rainwater sewer (i.e. drain outside the building)	Ensure that all operatives wear Personal Protective Equipment at all times during disposal.

Name of Assessor:	Signed:	Print:
--------------------------	----------------	---------------

Position:	Date of Assessment:	Review Date:
------------------	----------------------------	---------------------

N.B. This risk assessment is offered as guidance only. It is your responsibility to ensure that it reflects the use of the product in your operation and amend accordingly.