



SAFETY DATA SHEET

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI
Product number	800-499-0012
Internal identification	BG064-10
Container size	100mL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Disinfectant.
------------------------	---------------

1.3. Details of the supplier of the safety data sheet

Supplier	Jangro Ltd Jangro House Worsely Road, Farnworth Bolton, BL4 9LU Tel. 01204 795955
	Jangro Ltd Europe 6-9 Trinity Street, Dublin 2 D02 EY47 Ireland Tel.016177911

Contact person	For content of safety data sheet., enquiries@jangrohq.net
-----------------------	---

1.4. Emergency telephone number

Emergency telephone	01204 795 955 (Jangro)
----------------------------	------------------------

National emergency telephone number In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Aerosol 1 - H222, H229
Health hazards	Eye Irrit. 2 - H319 STOT SE 3 - H336
Environmental hazards	Not Classified

Classification (67/548/EEC or 1999/45/EC) -

2.2. Label elements

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

Hazard pictograms



Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.
 H229 Pressurised container: may burst if heated.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements

P102 Keep out of reach of children.
 P211 Do not spray on an open flame or other ignition source.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P251 Do not pierce or burn, even after use.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Contains

ETHANOL, PROPAN-2-OL, METHANOL

Supplementary precautionary statements

P261 Avoid breathing spray.
 P264 Wash contaminated skin thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 Call a POISON CENTRE/doctor if you feel unwell.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS 30-60%		
CAS number: 68476-85-7	EC number: 270-704-2	REACH registration number: 01-2119485911-31-XXXX
Classification Not Classified		
ETHANOL 30-60%		
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-2119457610-43-XXXX
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319		

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

PROPAN-2-OL		10-30%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-2119457558-25-XXXX
Classification		
Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		
MONOPROPYLENE GLYCOL		<1%
CAS number: 57-55-6		
Classification		Classification (67/548/EEC or 1999/45/EC)
Not Classified		-
DIDECYLDIMETHYLAMMONIUM CHLORIDE		<1%
CAS number: 7173-51-5	EC number: 230-525-2	
M factor (Acute) = 10		
Classification		Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411		C;R34 Xn;R22
METHANOL		<1%
CAS number: 67-56-1	EC number: 200-659-6	REACH registration number: 01-2119433307-44-XXXX
Classification		Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370		F;R11 T;R23/24/25,R39/23/24/25

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention immediately.

Ingestion

Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

Skin contact Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Gas or vapour may irritate the respiratory system. May cause discomfort. Coughing, chest tightness, feeling of chest pressure.

Ingestion May irritate the mouth, throat and stomach.

Skin contact May cause irritation. Redness.

Eye contact May cause eye irritation. Redness. Profuse watering of the eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically. Provide eyewash station.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire. Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

5.2. Special hazards arising from the substance or mixture

Specific hazards Extremely flammable aerosol. Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Wear appropriate clothing to prevent any possibility of skin contact.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours and contact with skin and eyes. For personal protection, see Section 8. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. No smoking, sparks, flames or other sources of ignition near spillage.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Leave small quantities to evaporate, if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Reference to other sections See Section 1 for emergency contact information. For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PETROLEUM GASES, LIQUEFIED; PETROLEUM GAS

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m³

Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m³

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

Ingredient comments WEL = Workplace Exposure Limits

ETHANOL (CAS: 64-17-5)

DNEL

Workers - Inhalation; Long term systemic effects: 950 mg/m³

Workers - Inhalation; Short term local effects: 1900 mg/m³

Workers - Dermal; Long term systemic effects: 343 mg/kg

General population - Inhalation; Long term systemic effects: 114 mg/m³

General population - Inhalation; Short term local effects: 950 mg/m³

General population - Dermal; Long term systemic effects: 206 mg/kg/day

General population - Oral; Long term systemic effects: 87 mg/kg/day

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

- PNEC**
- Fresh water; 0.96 mg/l
 - marine water; 0.79 mg/l
 - Intermittent release; 2.75 mg/l
 - STP; 580 mg/l
 - Sediment (Freshwater); 3.6 mg/kg
 - Sediment (Marinewater); 2.9 mg/kg
 - Soil; 0.63 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

- DNEL**
- Workers - Inhalation; Long term systemic effects: 500 mg/m³
 - Workers - Dermal; Long term systemic effects: 888 mg/kg
 - General population - Inhalation; Long term systemic effects: 89 mg/m³
 - General population - Dermal; Long term systemic effects: 319 mg/kg
 - General population - Oral; Long term systemic effects: 26 mg/kg

- PNEC**
- Fresh water; 140.9 mg/l
 - marine water; 140.9 mg/l
 - Intermittent release; 140.9 mg/l
 - STP; 2251 mg/l
 - Sediment (Freshwater); 552 mg/kg
 - Sediment (Marinewater); 552 mg/kg
 - Soil; 28 mg/kg

BENZOTRIAZOLE (CAS: 95-14-7)

- DNEL**
- Workers - Inhalation; Long term systemic effects: 19 mg/m³
 - Workers - Dermal; Long term systemic effects: 1.08 mg/kg/day
 - General population - Inhalation; Long term systemic effects: 9.55 mg/m³
 - General population - Dermal; Long term systemic effects: 0.54 mg/kg/day
 - General population - Oral; Long term systemic effects: 0.54 mg/kg/day

- PNEC**
- Fresh water; 0.019 mg/l
 - Intermittent release, Fresh water; 0.158 mg/l
 - marine water; 0.019 mg/l
 - STP; 0.1 mg/l
 - Sediment (Freshwater); 0.22 mg/kg
 - Sediment (Marinewater); 0.22 mg/kg
 - Soil; 0.03 mg/kg

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

- DNEL**
- Workers - Inhalation; Long term systemic effects: 168 mg/m³
 - Workers - Inhalation; Long term local effects: 10 mg/m³
 - General population - Inhalation; Long term systemic effects: 50 mg/m³
 - General population - Inhalation; Long term local effects: 10 mg/m³

- PNEC**
- Fresh water; 260 mg/l
 - Intermittent release; 183 mg/l
 - marine water; 26 mg/l
 - STP; 20000 mg/l
 - Sediment (Freshwater); 572 mg/kg
 - Sediment (Marinewater); 57.2 mg/kg
 - Soil; 50 mg/kg

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

PNEC	- Fresh water; 1.1 µg/L
	- Intermittent release; 210 ng/L
	- marine water; 110 ng/L
	- Intermittent release, marine water; 21 ng/L
	- STP; 140 µg/L
	- Sediment (Freshwater); 61.86 mg/kg
	- Sediment (Marinewater); 6.186 mg/kg
	- Soil; 1.4 mg/kg

METHANOL (CAS: 67-56-1)

DNEL	Workers - Inhalation; Long term systemic effects: 260 mg/m ³
	Workers - Inhalation; Short term systemic effects: 260 mg/m ³
	Workers - Inhalation; Long term local effects: 260 mg/m ³
	Workers - Inhalation; Short term local effects: 260 mg/m ³

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

Hygiene measures

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Colourless.
Odour	Perfume.
Odour threshold	No information available.
pH	No information available.
Melting point	Not determined.
Initial boiling point and range	No information available.
Flash point	<23°C
Evaporation rate	No information available.

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

Flammability (solid, gas)	Extremely flammable aerosol.
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Solubility(ies)	Not relevant.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	Not determined.
Viscosity	Not available.
Explosive properties	No information available.
Explosive under the influence of a flame	No data available.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under the prescribed storage conditions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidising agents. Strong alkalis. Strong mineral acids. Keep at temperature not exceeding 50°C.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Other health effects Does not contain any substances known to be carcinogenic.

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 158,000.0

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 300,000.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

ATE inhalation (dusts/mists mg/l) 500.0

Skin corrosion/irritation

Skin corrosion/irritation Not classified. Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Not sensitising. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Not classified. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation

Gas or vapour may irritate the respiratory system. May cause discomfort. Coughing, chest tightness, feeling of chest pressure.

Ingestion

May irritate the mouth, throat and stomach.

Skin contact

May cause irritation. Redness.

Eye contact

May cause irritation. Redness. Profuse watering of the eyes.

Toxicological information on ingredients.

ETHANOL

Acute toxicity - oral

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

Acute toxicity oral (LD₅₀ mg/kg) 10,470.0

Species Rat

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 10,470.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 15,800.0

Species Rabbit

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 15,800.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 117.0

Species Rat

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 117.0

Skin corrosion/irritation

Skin corrosion/irritation Not classified. Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation No information available. REACH dossier information.

Skin sensitisation

Skin sensitisation Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Negative. REACH dossier information.

Carcinogenicity

Carcinogenicity There is no evidence that the product can cause cancer. Based on available data the classification criteria are not met.

IARC carcinogenicity IARC Group 1 Carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

ETHANOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, : 11200 mg/l, Freshwater fish

Acute toxicity - aquatic invertebrates EC₅₀, : 5012 mg/l, Freshwater invertebrates
EC₅₀, : 857 mg/l, Marinewater invertebrates

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, : 250 mg/l, Freshwater fish

Chronic toxicity - aquatic invertebrates NOEC, : 9.6 mg/l, Freshwater invertebrates
NOEC, : 79 mg/l, Marinewater invertebrates

12.2. Persistence and degradability

Biodegradation The product is biodegradable.

Ecological information on ingredients.

ETHANOL

Phototransformation Air - Half-life : 38 hours
REACH dossier information.

Biodegradation The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No potential for bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

ETHANOL

Bioaccumulative potential Low potential for bioaccumulation.

12.4. Mobility in soil

Mobility No data available.

Ecological information on ingredients.

ETHANOL

Adsorption/desorption coefficient Expected to have a low potential for adsorption. REACH dossier information. - Koc: 1 @ °C

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

ETHANOL

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



14.4. Packing group

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None
ADN packing group	None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824). Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
EU legislation	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Guidance	Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. IMDG: International Maritime Dangerous Goods. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. SVHC: Substances of Very High Concern. vPvB: Very Persistent and Very Bioaccumulative.
Revision date	05/02/2021
Revision	2

JANGRO PROFESSIONAL ANTIVIRAL FOGGER MINI

Supersedes date	20/01/2021
SDS number	22394
Hazard statements in full	H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H370 Causes damage to organs . H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.